



RONAL Bathrooms.



KUDOS SHOWERING SOLUTIONS

www.kudosshowers.co.uk





Brushed brass right hand 1200mm recess sliding door



KUDOS SHOWERING SOLUTIONS


Design and functionality in harmony

The perfect combination of sophisticated minimalism and modern elegance. The Premium Collection brochure showcases our most luxurious product ranges.

Whether you're looking for understated elegance or want to make a statement, we have something that will suit every bathroom.

The Kudos Premium Collection is available only to purchase from the network of Kudos Premium Collection Retailers.





1000mm x 1000mm quadrant enclosure.

pinnacle8

The difference is in the detail

The pinnacle8 range of enclosures represents new heights in shower enclosure design, with selected products now available in a stunning matt black finish, combining our iconic design with timeless elegance.

Characterised by a minimalist cut out finger pull and easy fit wall posts with concealed fixings and featuring crystal clear seals, 8mm toughened safety glass throughout and treated with Lifeshield[™] protective coating for easy cleaning.

The pinnacle8 collection features hinged, sliding and centre-fold, quadrant and level access options so there is sure to be a solution to suit you. These stylish minimalist doors are both easy to install and stunning to look at.

All products are 2000mm high and covered by a lifetime guarantee against material or manufacturing defects for your complete peace of mind.





Rise & fall hinge




The pinnacle8 hinged door is available in either chrome or matt black and in sizes ranging from 760mm to 1500mm. Featuring stylish rise and fall hinges, minimalist design with crystal clear seals, pinnacle8 will enhance any bathroom design.

Matt black hinged corner, left handed, on a slate effect connect2 tray.



- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Die cast rise and fall hinges
- + Frameless side panels
- + Crystal clear corner seals

Layout



Hinged corner doors are supplied left hand or right hand



Matt black rise and fall hinge

Codes & Dimensions §

				Dimension	s (mm)		
Door Size	***Product Code	А	В	с	D	E	F
760mm	P8HC76	730-750	530	168-188	555	26	-
800mm	P8HC80	770-790	570	168-188	595	26	-
900mm	P8HC90	870-890	670	168-188	695	26	-
1000mm	P8HC100	970-990	670	268-288	695	26	-
1100mm	P8HC110	1070-1190	570	368-388	595	26	-
1200mm	P8HC120	1170-1190	670	468-488	695	26	-
1300mm	P8HC130	1270-1290	570	568-588	595	26	-
1400mm	P8HC140	1370-1390	670	668-688	695	26	-
1500mm	P8HC150	1470-1490	670	768-788	695	26	-
Side Panels							
700mm	P8HC2SP70	-	-	-	-	26	670-690
760mm	P8HC2SP76	-	-	-	-	26	730-750
800mm	P8HC2SP80	-	-	-	-	26	770-790
900mm	P8HC2SP90	-	-	-	-	26	870-890
1000mm	P8HC2SP100	-	-	-	-	26	970-990
1200mm	P8HC2SP120	-	-	-	-	26	1170-1190

***Please add ${\bf L}$ or ${\bf R}$ to the product code to indicate left or right handed door. When ordering matt black please add ${\bf MBK}$ to product codes

 ${}^{\$}\,\textbf{N.B}\,$ Hinged Doors for Recess and Corner are not interchangeable

Optional Items

Product	Product Code
*Angled Stabilising Bracket for Doors (1000 & 1100mm)	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
[†] 10mm Extension Post	P8SOS

* An optional angled stabilising bracket is available for larger doors if additional stability is required.

**An optional handle is available if required.


Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

[†] All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

pinnacle8


The pinnacle8 hinged door is available in either chrome or matt black and in sizes ranging from 760mm to 1500mm. Featuring stylish rise and fall hinges, minimalist design with crystal clear seals, pinnacle8 will enhance any bathroom design.

Chrome recess right hand hinged door on a connect2 tray.



- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Die cast rise and fall hinges
- + Crystal clear corner seals

Layout



Hinged recess doors are supplied left hand or right hand

Retro fit handle

Codes & Dimensions §

Door Size	***Product Code	Dimensions (mm)					
	Product Code	A	В	с	D	E	F
760mm	P8HR76	725-765	505	168-188	534	26	34
800mm	P8HR80	765-805	545	168-188	574	26	34
900mm	P8HR90	865-905	645	168-188	674	26	34
1000mm	P8HR100	965-1005	545	268-288	674	26	34
1100mm	P8HR110	1065-1105	545	368-388	574	26	34
1200mm	P8HR120	1165-1205	645	468-488	674	26	34
1300mm	P8HR130	1265-1305	545	568-588	574	26	34
1400mm	P8HR140	1365-1405	645	668-688	674	26	34
1500mm	P8HR150	1465-1505	645	768-788	674	26	34

***Please add ${\bf L}$ or ${\bf R}$ to the product code to indicate left or right handed door. When ordering matt black please add ${\bf MBK}$ to product codes

[§] N.B Hinged Doors for Recess and Corner are not interchangeable

Optional Items

Product	Product Code
*Angled Stabilising Bracket for Doors (1000 & 1100mm)	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
[†] 10mm Extension Post	P8SOS

* An optional angled stabilising bracket is available for larger doors if additional stability is required.

**An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.


 † All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)



straight sliding corner doors


Available in chrome and matt black the pinnacle8 sliding corner door is available in sizes ranging from 1000mm - 1800mm. Perfect for the medium to large showering space. Semi-frameless with crystal clear seals these minimalist doors give an illusion of endless space.

1200mm corner straight sliding door



- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals

Layout



Straight sliding corner doors can be fitted to open either to the left or right by rotating the enclosure 180°



Minimalist finger pull

Codes & Dimensions §

				Dimensions (mm)	
Door Size	***Product Code	A	в	с	D	E
1000mm	P8SC100	970-990	400	452-472	26	-
1100mm	P8SC110	1070-1090	400	552-572	26	-
1200mm	P8SC120	1170-1190	500	552-572	26	-
1400mm	P8SC140	1370-1390	600	652-672	26	-
1500mm	P8SC150	1470-1490	600	752-772	26	-
1600mm	P8SC160	1570-1590	600	852-872	26	-
1700mm	P8SC170	3SC170 1670-1690 600 952-97		952-972	26	-
1800mm	P8SC180	1770-1790	600 1052-1072		26	-
Side Panels			_			
700mm	P8SC2SP70	-	-	-	26	670-690
760mm	P8SC2SP76	-	-	-	26	730-750
800mm	P8SC2SP80	-	-	-	26	770-790
900mm	P8SC2SP90	-	-	-	26	870-890
1000mm	P8SC2SP100	-	-	-	26	970-990
1200mm	P8SC2SP120	-	-	-	26	1170-1190

***When ordering matt black please add \mathbf{MBK} to product codes

 $^{\$}$ N.B Hinged Doors for Recess and Corner are not interchangeable

Optional Items

Product	Product Code
*Angled Stabilising Bracket for Doors (1000 & 1100mm)	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
[†] 10mm Extension Post	P8SOS

* An optional angled stabilising bracket is available for larger doors if additional stability is required.

**An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

[†] All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)



straight sliding recess doors


Available in chrome and matt black the pinnacle8 sliding recess door is available in sizes ranging from 1000mm-1800mm, with side panels ranging from 700mm to 1200mm perfect for the medium to large showering space. Semi-frameless with crystal clear seals these minimalist doors give an illusion of endless space.

1200mm recess straight sliding door




- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals

Layout



Straight sliding corner doors can be fitted to open either to the left or right by rotating the enclosure 180°



Door twin rollers

Codes & Dimensions §

Door Size	***Product Code	Dimensions (mm)					
Door Size	Product Code	А	В	с	D	E	
1000mm	P8SR100	965-1005	375-395	452-472	26	37	
1100mm	P8SR110	1065-1105	375-395	552-572	26	37	
1200mm	P8SR120	1165-1205	475-495	552-572	26	37	
1400mm	P8SR140	1365-1405	575-595	652-672	26	37	
1500mm	P8SR150	1465-1505	575-595	752-772	26	37	
1600mm	P8SR160	1565-1605	575-595	852-872	26	37	
1700mm	P8SR170	1665-1705	575-595	952-972	26	37	
1800mm	P8SR180	1765-1805	575-595	1052-1072	26	37	

***When ordering matt black please add $\ensuremath{\mathsf{MBK}}$ to product codes

[§] N.B Sliding doors for Recess and Corner are not interchangeable

Optional Items

Product	Product Code
*Angled Stabilising Bracket for Doors (1000 & 1100mm)	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
[†] 10mm Extension Post	P8SOS

* An optional angled stabilising bracket is available for larger doors if additional stability is required.

**An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

[†] All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

pinnacle8 centre folding doors The space saving centre-folding door, available in sizes ranging from 800mm to 1000mm is just perfect for the small to medium showering space. With a hidden door mechanism, concealed magnets and crystal clear seals you have an uninterrupted glass door with a positive closing action.

Corner centre folding enclosure



- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals

Codes & Dimensions

		Adjustme	ents (mm)					、				
Door Size	Product Code	*RECESS	*CORNER	- Dimensions (mm)					Dimensions (mm)			
		А	А	в	с	D	E	F	G			
800mm	P8CF80	765-805	770-790	230	440	145	140	140	26			
900mm	P8CF90	865-905	870-890	255	490	170	175	160	26			
1000mm	P8CF100	965-1005	970-990	305	590	170	175	160	26			

Side Panels

Door Size		Product Code	Product Code		
	Door Size	Product Code	G	Н	
	800mm	P8CF2SP80	26	770-790	
	900mm	P8CF2SP90	26	870-890	
	1000mm	P8CF2SP100	26	970-990	
	1200mm	P8CF2SP120	26	1170-1190	

Optional Items

Product	Product Code
**Retro Fit Handle	P8RHCF
[†] 10mm Extension Post	P8SOS

**An optional handle is available if required.


 † All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)



Concealed folding mechanism.

*Recess Measurement (Door only). *Corner Measurement (Door + 1 Panel).

Layout



All doors suitable for corner or recess fixing

pinnacle**8** quadrant doors


Surround yourself with a panoramic seamless expanse of glass. The semi-frameless pinnacle8 Quadrant and Offset Quadrant features uninterrupted glass from wall to wall with its crystal clear seals and unique finger pull.

1200mm x 900mm Offset quadrant enclosure




- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings and dynamic adjustment
- + Semi-frameless panels
- + Die cast bottom guides
- + Available in chrome and matt black

Offset Quad Layout



Quad Layout



Quadrant doors can be fitted either to open to the left or right



Scan the QR code to view the shower tray handing diagrams.

Codes & Dimensions

D	***Product	Adjustme	ents (mm)	Dimensions (mm)				
Door Size	Code	А	В	с	D	E	F	
900 x 900mm	P8Q90	865-885	865-885	470	600-620	335-355	26	
1000 x 1000mm	P8Q100	965-985	965-985	470	700-720	435-455	26	
900 x 800mm	P8Q9080	865-885	765-785	470	600-620	235-255	26	
1000 x 800mm	P8Q1080	965-985	765-785	470	700-720	235-255	26	
1000 x 900mm	P8Q1090	965-985	865-885	470	600-620	435-455	26	
1200 x 800mm	P8Q1280	765-785	1165-1185	470	900-920	235-255	26	
1200 x 900mm	P8Q129	865-885	1165-1185	470	600-620	635-655	26	

***When ordering matt black please add \mathbf{MBK} to product codes

Optional Items

Product	Product Code
*Angled Stabilising Bracket for Doors (1000 & 1100mm)	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
[†] 10mm Extension Post	P8SOS

* An optional angled stabilising bracket is available for larger doors if additional stability is required.

**An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

[†] All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

Shower Tray Handing & Door Opening Direction Guide

	Tray H	anding	Opening Directions		
Tray Sizes	RH	LH	RH	LH	Unhanded
900 x 900mm	-	-	-	-	1
1000 x 1000mm	-	-	-	-	1
900 x 800mm	-	1	-	1	-
900 x 800mm	1	-	1	-	-
1000 x 800mm	-	1	-	1	-
1000 x 800mm	1	-	1	-	-
1000 x 900mm	-	1	1	-	-
1000 x 900mm	1	-	-	1	-
1200 x 800mm	-	1	-	1	-
1200 x 800mm	1	-	√	-	-
1200 x 900mm		1	1		-
1200 x 900mm	1			1	-



Chrome right hand 1200mm corner sliding door.

pinnacle8 level access collection


A reputation for superb engineering

The stunning pinnacle8 level access enclosures are frameless and will maximise both space and light in any bathroom. Removing the frame from the enclosures provides the end user with level access to their showering space. Perfect for multi-generational households.

The pinnacle8 level access sliding and hinged enclosure are available in chrome, matt black and brushed brass finishes.

All products are 2000mm high and feature 8mm toughened safety glass throughout and are treated with lifeshield protective coating for easy cleaning.





pinnacle8

level access hinged corner doors


The pinnacle8 level access hinged door is available in sizes ranging from 800mm to 1200mm with side panels from 700mm to 1200mm. Stylish rise and fall hinges, minimalist frameless design with crystal clear seals, pinnacle8 will enhance any bathroom design.

Level access right hand chrome hinged corner enclosure



- + 8mm toughened safety glass
- + 2000mm high
- + Level access
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Die cast rise and fall hinges
- + Frameless side panels
- + Crystal clear corner seals
- + Optional retro fit handle

Layout



Hinged corner doors are supplied left hand or right hand



Stabilising Bar

Codes & Dimensions §

D C		Dimensions (mm)						
Door Size	***Product Code	А	В	с	D	E	F	G
800mm	P8FH80L	770-790	500	120-140	509	26	125	
800mm	P8FH80R	770-790	500	120-140	509	26	125	
900mm	P8FH90L	870-890	600	120-140	609	26	125	
900mm	P8FH90R	870-890	600	120-140	609	26	125	
1000mm	P8FH100L	970-990	600	120-140	609	26	225	
1000mm	P8FH100R	970-990	600	120-140	609	26	225	
1100mm	P8HF110L	1070-1100	600	120-140	609	26	325	
1100mm	P8FH110R	1070-1100	600	120-140	609	26	325	
1200mm	P8HF120L	1170-1190	600	120-140	609	26	425	
1200mm	P8FH120R	1170-1190	600	120-140	609	26	425	
Side Panels								
700 mm	P8FHSP70	-	-	-	-	26	-	670-690
760 mm	P8FHSP76	-	-	-	-	26	-	730-750
800 mm	P8FHSP80	-	-	-	-	26	-	770-790
900 mm	P8FHSP90	-	-	-	-	26	-	870-890
1000 mm	P8FHSP100	-	-	-	-	26	-	970-990
1200 mm	P8FHSP120	-	-	-	-	26	-	1170-1190

 *** When ordering matt black add \mathbf{MBK} and brushed brass please add \mathbf{BRG} to the product codes

[§] N.B Hinged Doors for Recess and Corner are interchangeable

Optional Items

Product	***Product Code
**Retro Fit Handle	P8RH
† 10mm Extension Post	P8SOS

**An optional handle is available if required.

The handle can be retro fitted and only needs to be purchased if preferred.

 † All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

*** When ordering matt black add \mathbf{MBK} and brushed brass please add \mathbf{BRG} to the product codes



level access hinged recess doors


The pinnacle8 level access hinged door is available in sizes ranging from 800mm to 1200mm. Stylish rise and fall hinges, minimalist frameless design with crystal clear seals, pinnacle8 will enhance any bathroom design.

Level access left hand brushed brass hinged recess enclosure



- + 8mm toughened safety glass
- + 2000mm high
- + Level access
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Die cast rise and fall hinges
- + Frameless side panels
- + Optional retro fit handle

Layout



Hinged recess doors are supplied left hand or right hand

Codes & Dimensions §

Door Size	***Product Code	Dimensions (mm)						
Door Size	Product Code	А	В	с	D	E	F	G
800mm	P8FH80L	760-800	500	120-140	509	26	125	
800mm	P8FH80R	760-800	500	120-140	509	26	125	
900mm	P8FH90L	860-900	600	120-140	609	26	125	
900mm	P8FH90R	860-900	600	120-140	609	26	125	
1000mm	P8FH100L	960-1000	600	120-140	609	26	225	
1000mm	P8FH100R	960-1000	600	120-140	609	26	225	
1100mm	P8HF110L	1060-1100	600	120-140	609	26	325	
1100mm	P8FH110R	1060-1100	600	120-140	609	26	325	
1200mm	P8HF120L	1160-1200	600	120-140	609	26	425	
1200mm	P8FH120R	1160-1200	600	120-140	609	26	425	

*** When ordering matt black add MBK and brushed brass please add BRG to the product codes

 $\ensuremath{\,^{\$}}$ N.B Hinged Doors for Recess and Corner are interchangeable

Optional Items

Product	***Product Code
**Retro Fit Handle	P8RH
[†] 10mm Extension Post	P8SOS

**An optional handle is available if required.

The handle can be retro fitted and only needs to be purchased if preferred.

 † All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)



Die cast rise and fall hinge

pinnacle8

level access straight sliding corner doors


Featuring chrome, matt black and brushed brass finishes, the pinnacle8 level access sliding door can be used to create corner, recess and 3 sided enclosures. This level access door is available in sizes ranging from 1200mm – 1500mm, perfect for the medium to large showering space.



Chrome 1200mm right handed corner sliding door

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Level access
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals
- + Can be used to create 3 sided enclosures

Layout



Level access sliding doors are supplied left or right handed



Crystal clear glass to glass corner seals

Codes & Dimensions §

D C	***Product	Dimensions (mm)				
Door Size	Code	А	В	с	D	E
1200mm	P8FS120	1180-1200	450	515	26	-
1300mm	P8FS130	1280-1300	450	615	26	-
1400mm	P8FS140	1380-1400	550	615	26	-
1500mm	P8FS150	1480-1500	550	715	26	-

Side Panels

700mm	P8FPSP70	-	-	-	26	670-690
760mm	P8FPSP76	-	-	-	26	730-750
800mm	P8FPSP80	-	-	-	26	770-790
900mm	P8FPSP90	-	-	-	26	870-890
1000mm	P8FPSP100	-	-	-	26	970-990
1200mm	P8FPSP120	-	-	-	26	1170-1190

***Please add **L or R** to the product code to indicate left or right handed door.

*** When ordering matt black add \mathbf{MBK} and brushed brass please add \mathbf{BRG} to the product codes

 $\ensuremath{{}^{\$}}$ N.B Sliding Doors for Recess and Corner are interchangeable

Optional Items

Product	***Product Code
**Retro Fit Handle	P8RH
*Angled Stabilising Bracket for Doors (Optional)	P8SB32
[†] 10mm Extension Post	P8SOS

* Angled stabilising bracket is required for additional stability.

**An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

[†] All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

*** When ordering matt black add ${\sf MBK}$ and brushed brass please add ${\sf BRG}$ to the product codes

pinnacle8

level access straight sliding recess doors


Featuring chrome, matt black or brushed brass finishes the pinnacle8 level access sliding door is available in sizes ranging from 1200mm - 1500mm, perfect for the medium to large showering space.

inn Girrentani

Brushed brass right hand 1200mm recess sliding door

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Level access
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals

Layout



Level access sliding doors are supplied left or right handed



Brushed brass retro fit handle

Codes & Dimensions §

Door Size	***Duradurat Carda	C	Dimensions (r	nm)	
Door Size	***Product Code	А	В	с	D
1200mm	P8FS120	1165-1205	450	515	26
1300mm	P8FS130	1265-1305	450	615	26
1400mm	P8FS140	1365-1405	550	615	26
1500mm	P8FS150	1465-1505	550	715	26

***Please add **L or R** to the product code to indicate left or right handed door.

*** When ordering matt black add \mathbf{MBK} and brushed brass please add \mathbf{BRG} to the product codes

 $\,\,^{\$}\,\text{N.B}$ Sliding Doors for Recess and Corner are interchangeable

Optional Items

Product	***Product Code
**Retro Fit Handle	P8RH
*Angled Stabilising Bracket for Doors (Optional)	P8SB32
† 10mm Extension Post	P8SOS

* Angled stabilising bracket is required for additional stability.

**An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

[†] All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

*** When ordering matt black add \mathbf{MBK} and brushed brass please add \mathbf{BRG} to the product codes



ultimate shower tray collection

The ultimate shower tray

Combining innovation and design, this stunning, light weight, super slim shower tray is available in 2 colour finishes (slate effect white and slate effect grey), is slip and stain resistant and contains an *antimicrobial additive to inhibit the growth of microbes.

At just 27mm high this slate effect tray is available in 19 standard sizes up to 2000mm x 900mm and is a stylish alternative to a traditional shower tray or even a wet room floor.



Colour matched waste

ultimate

shower trays

Luxurious and stylish, the ultimate shower tray will make a statement in any bathroom.

Available in two stunning slate effect finishes, this ultra slim tray is both slip and stain resistant and contains an anti-microbial additive for easy cleaning.

Additional colour finishes, waste positions and sizes are available to order via our bespoke service



Slate effect dark grey ultimate tray with matt black ultimate walk-in

- + 27mm deep
- + Available in 19 standard sizes (up to 2000 x 900mm)
- + Slip and stain resistant (see page 34)
- + Up to 60% lighter than traditional shower trays
- + Available in two colour finishes as standard
- + Lifetime Guarantee
- + Additional colour finishes, waste positions and sizes available on request (max. 2000 x 1000mm)

Waste Options







Mid Grey with black waste



Mid Grey with stainless steel waste



White slate effect tray



Dark grey slate effect tray



Mid grey with matching waste

Stone with matching waste



Dark Grey with matching waste

Waste Product Codes

Product	Product Code
Chrome Waste (white waste with chrome grate)	WRWALS
Black Waste (dark grey waste with matt black grate)	WRWALMBK
Dark Grey Waste (dark grey waste and grate)	WRWALSLGR
White Waste (White grate and waste)	WRWALWH

ultimate shower trays

Should you need a size, colour or even waste position that isn't featured as part of our stocked range, we offer a bespoke service that will enable you to create the ultimate shower tray that meets your requirements.

Product Sizes, Codes & Prices

Tray Size	White Slate Effect Product Code	Dark Grey Slate Effect Product Code
1200 x 800mm	ULT12080SWE	ULT12080SDGE
1300 x 800mm	ULT13080SWE	ULT13080SDGE
1400 x 800mm	ULT14080SWE	ULT14080SDGE
1500 x 800mm	ULT15080SWE	ULT15080SDGE
1600 x 800mm	ULT16080SWE	ULT16080SDGE
1700 x 700mm	ULT17070SWE	ULT17070SDGE
1700 x 800mm	ULT17080SWE	ULT17080SDGE
1800 x 800mm	ULT18080SWE	ULT18080SDGE
1900 x 800mm	ULT19080SWE	ULT19080SDGE
2000 x 800mm	ULT20080SWE	ULT20080SDGE
1200 x 900mm	ULT12090SWE	ULT12090SDGE
1300 x 900mm	ULT13090SWE	ULT13090SDGE
1400 x 900mm	ULT14090SWE	ULT14090SDGE
1500 x 900mm	ULT15090SWE	ULT15090SDGE
1600 x 900mm	ULT16090SWE	ULT16090SDGE
1700 x 900mm	ULT17090SWE	ULT17090SWE
1800 x 900mm	ULT18090SWE	ULT18090SWE
1900 x 900mm	ULT19090SWE	ULT19090SWE
2000 x 900mm	ULT20090SWE	ULT20090SWE

For any other size or waste position there's a simple **3 step process...**

Step 1: Contact your Kudos Retailer outlining your specific requirements (including colour, waste position and dimensions).

Step 2: Your Kudos Retailer will receive a quote and estimated delivery window (from receipt of the confirmed order).

Step 3: Contact your Kudos Retailer outlining your specific requirements (including colour, waste position and dimensions).

Standard Finishes





White Slate Effect

Dark Grey Slate Effect

Bespoke Finishes







Grey (Slip Resistant)



RONAL Bathrooms UK Ltd Elmsfield Park, Holme Cumbria LA6 1RJ United Kingdom

Telephone: +44 (0)1539 564040 Email: sales@kudosshowers.co.uk

www.kudosshowers.co.uk